0-3

- Raises head slightly off floor or bed when placed on stomach
- Holds head up momentarily when supported
- Alternates kicking legs when on
- Thrusts arms in play
- Random movements become more purposeful
- Closes hand on your finger

3-6 MONTHS

- Lifts head and chest when on stomach and prop on forearms
- Head bobbling in supported
- Rolls from side to side
- Rolls from stomach to back
- Hands to midline
- Makes batting movements
- Sits briefly with upper extremity support



GROSS FINE SPEECH/ MOTOR **MOTOR**

6 - 9

- Reaches for objects while on stomach
- Pivots on stomach
- Pulls self forward on stomach
- Rolls from back to stomach
- Sits alone briefly
- May assume quadruped and rock
- Moves from sitting to lying
- Stands with support

- Claps hands

9-12 **MONTHS**

- Sits alone with trunk
- Pivots and scoots in
- Creeps in quadruped
- Pulls to stand
- Cruises
- Stands alone
- Assumes tall kneel
- May begin walking independently

- Gives toy to adult
- Desires to be the center of attention

- Imitates adult behavior

- May have controlled/sustained bite



12-18MONTHS

- Able to start/stop/turn while
- Creeps up stairs
- Crawls up onto furniture
- Walks up one step at a time with hand held or hand rail
- Walks sideways and backwards
- Kicks playground ball forward
- Runs stiffly
- Stands on one foot with help
- Uses riding toys

- Throws a ball overhead
- Uses a controlled bite for more

18-24 MONTHS

- Walks alone
- Pulls toys while walking
- May walk up steps
- May run with immature running pattern

- Kicks a ball
- Steers a push toy
- Climbs up and down objects/stairs or walks up and down stairs using railing or parent
- Jumps down from small step
- Walks on tiptoes
- Jumps off both feet
- Stands on one foot
- Runs
- Throws a ball overhand
- Catches a ball with trapping
- Gallops with preferred foot leading

- 8 blocks
- May use one hand more

- Uses alternating gait when going up stairs and possibly when going down
- Rides a tricycle
- Runs easily
- Hopping may emerge
- ** At 3.5 years of age, the child may experience a period of decreased

- without buttons
- Develops a dominant hand



YEARS

- Walks down stairs with alternating gait easily
- Catches a ball without trapping
- Hops and stands on one foot
- Catches a bounced ball most of the time

- Brushes teeth
- Dresses and undresses

- Stands on one foot for 10 seconds or longer
- Hops, skips, jumps forward 2 or more feet
- Performs a somersault
- Accomplishes precise overhand throwing
- Jumps rope, swings, and climbs with ease

- Helps with household tasks
- Builds forts or houses
- Builds and plays with blocks